



# INDEX MAPS.

## T. 27N, R. 6 E. 2<sup>nd</sup> Mer.



## T. 28N, R. 6 E. 2<sup>nd</sup> Mer.



The figures on the lines refer to the page.

Recd with letter dated Sept 29. 1864. from J. Restine Auditor  
of the State of Indiana. at Indianapolis.

Copy

of the Field Notes of the Indian Reservations  
No 17. 18 and 19, South of Wabash River, in  
Township No 27 North, Range No 6 East of  
the 2<sup>d</sup> principal Meridian, Indiana.

Grant No 17,

Confirmed to Tow-wah-keo-shee.

Beginning on the left Bank of the Wabash  
River at the post on the line between Ranges  
6 and 7 E from which

a Maple 12 ins diam. brs S.  $71\frac{1}{2}$  E. 19 lks dist. &

a do 12 " " " S.  $28\frac{1}{2}$  W. 52 " "

Thence down the left Bank of the Wabash River  
with the Meanders thereof:

Courses Chs. lks.

S. 35 W. 10.00

S. 2 E. 5.00

S. 38 E. 7.10

S. 65 W. 7.50

S. 68 W. 10.00

S. 65 W. 7.50

S. 80 W. 10.00 at 8.50 a stream 30 lks. fr. S. E.

N. 61 W. 7.00

N. 68 W. 5.50

S. <sup>63</sup>~~63~~ W. 3.50

S. 89 W. 10.50

S. 42 W. 8.00

Copy of these field notes sent to S. J. Ewing Surveyor Wabash Co. Indiana  
of Wabash. October 5 1864.



Courses	Chs. lks
S. 35 W	13.00
S. 28 W	4.00
S. 36 W	5.00
S. 20 W	6.00
S. 5 W	6.50
S. 22 W	2.65. (Set post for N. W. corner, from which a Honey Locust 24 ins diam. brs S. 28 W. 15 lks dist. & a Hackberry 24 " " N. 24 E. 58 " " ) Thence on West Boundary.

South.

13.32	An Elm 16 ins diam.
25.75	A Sycamore 36 " "
27.00	A Stream 48 lks wide, co. N. W.
41.52	(Set post for S. W. corner, from which a Beech 24 ins diam. brs N. 40 W. 27 lks dist. a Sugar 14 " " N. 85 E. 31 " " ) Thence on South Boundary.

East

8.44	a Stream 50 lks wide, co. N. W.
29.63	a Beech 18 ins diam.
43.62	a d <sup>o</sup> 18 " "
61.74	a d <sup>o</sup> 20 " "
80.00	Intersect Range Line. Set post for S. E. cor. fr. wh a Beech 40 ins diam. brs N. 43 W. 6 lks dist. & a d <sup>o</sup> 18 " " N. 28 E. 32 " " Thence along the Range Line on East Boundary

North

32. 43 to the corner to Sects 12 & 13.

thence cont'd along Range Line

III. 33 To the Wabash River at place of Beginning.  
Containing 640 acres.

Surveyed June 25. 1839. by

C. Carter, Depy. Surveyor.

Grant No 18.

to John B. Richardville, to be located opposite the Town of Wabash. -

Beginning on the left Bank of Wabash River at the post set for the Northwest Corner of Grant No 17 to Tow-wah-keo-shee; fr. wh.

a Honey Locust 24 in. dia. brs S. 28 W. 15 lbs dia

a Hackberry 24 " " N. 24 E. 58 " "

Thence down the left Bank of the Wabash River with the Meanders:

Courses Chs. lks.

S. 22 W. 2.35

S. 29 W 5.00

S. 22 W 5.50

S. 31 W 9.50

S. 42 W 6.50 . at 2.74 a Stream 50 lbs wide, fr. S. E.

S. 72 W 6.00

S. 41 W 4.50

S. 58 W 9.00

37 W. 5.50  
 24 W. 5.00  
 61 W. 10.00, at 4.00 Ferry to the Town of Wabash.  
 78 W. 7.50  
 84 W. 4.50  
 68 W. 7.00  
 75 W. 7.50  
 82 W. 9.58. Set post for N. W. Cor. fr. wh.  
 a Lynn 18 ins dia. brs S. 59 W. 19 lks dist. &  
 a W. Beech 12. " " S. 39 E. 22. " "  
 Timber on West boundary

# South

13. 13 a W. Oak 18 ins dia.  
 36. 24 an Elm 12 " "  
 54. 67 a Beech 14 " "  
 64. 20 a do 20 " "  
 73. 06 Set post for S. W. Corner, fr. wh.  
 a Beech 22 ins. dia. brs N. 88 W. 7 lks dist. &  
 a Hickory 15 " " S. 78 E. 12. " "  
 Timber on South Boundary

# East

7. 89 an Ironwood 8 ins dia.  
 27. 13 a Hickory 20 " "  
 42. 94 an Ash 4 " "  
 52. 50 a Stream 12 lks wide, Co. North  
 64. 73 a Mulberry 15 ins dia.  
 74. 50 Road from Marion to Wabash, N. W.  
 80. 00 Set post for S. E. Corner, fr. which

a Buckeye 8 ins diam. brs N. 87 W. 6 lks dist.  
a Beech 20 " " " S. 67 E. 22 " "  
Thence on East Boundary.

North

11. 75 a Beech 12 ins dia.  
29. 92 a do 14 " "  
56. 00 a Stream 50 lks wide, Co. N. W.  
64. 59 a W. Oak 30 ins dia.  
66. 50 Same stream 50 lks wide, Co. N. E.  
75. 19 Intersected S. W. corner of Grant No 17. Thence  
with West line of said Grant  
89. 60 Same stream N. W. 50 lks wide  
90. 96 a Sycamore 36 ins dia.  
93. 39 an Elm 16 " "  
96. 71 To left Bank of the Wabash River at the Place  
of Beginning. Containing 640 acres.  
Surveyed June 26. 1839 —  
C. Carter, Deputy Surveyor.

### Grant No 19.

Confirmed to Kee - ke - lash - e - we - ah -  
alias Godfrey; to be located back of the  
section granted to the principal Chief, opposite  
the town of Wabash.

Beginning at the S. W. corner of Grant  
No 17. on the East Boundary of Grant No 18  
at a post from which

a Beech 24 ins dia. brs N. 40 W. 27 lks. &  
a Sugar 14 " " " N. 85 E. 31 "

Thence along the line of Grant No 18

South

6.50 a Stream 50 lks wide, co. N. E.

8.60 a W. Oak 30 ins diam.

19.00 same Stream 50 lks wide, co. N. W.

45.27 a Beech 14 ins diam.

63.24 a do 12 " "

75.19 at the post, S. E. cor. of Grant No 18. and S. W.  
corner of this tract, fr. which

a Buckeye 8 ins dia. brs N. 87 W. 6 lks dist. &

a Beech 20 " " " S. 67 E. 22 " "

Thence on South Boundary

East

13.50 a Stream, 7 lks wide, co. North.

26.79 an Elm 8 ins diam.

36.48 a Hickory 14 " "

42.57 Set post for S. E. corner, fr. wh.

a Beech 18 ins dia. brs N. 58 E. 26 lks dist.

a do 16 " " " N. 83 W. 57 " "

Thence on East Boundary.

North

11.55 a Sugar 24 ins dia.

23.69 a Beech 12 " "

38.13 a Sugar 28 " "

41.00 a stream 50 lks wide, co. N. W.

51. 73 a Beech 24 in. diam.  
 75. 19 Intersected North Boundary of Grant No 17.  
 Set post in Line from which  
 a Beech 14 in. dia. br S. 84 W. 22 lks dist. &  
 a do 16 " " S. 23 E. 28 " "  
 Thence on North Boundary along the line  
 of Grant No 17

West

22. 94 a Beech 18 in. diam.  
 36. 36 a Stream 50 lks wide, Co. N. W.  
 42. 57 to Line of Grant No 18 at the place of be-  
 ginning. Containing 320 Acres.  
 Surveyed June 26. 1839.  
 C. Carter Depy. Surveyor

Office Auditor of State of  
 the State of Indiana,  
 Indianapolis, September 29. 1869

This is to certify that the foregoing is  
 a true and complete copy of the field Notes  
 of the Indian Reservations Nos 17. 18 & 19, South  
 of the Wabash River, in Township No 27 North  
 Range No 6 East of the 2<sup>d</sup> principal Meridian  
 Indiana, taken and copied from the Record of  
 Field Notes on file in this Office.

Witness my hand and the seal of this Office  
 J. R. Auditor of State  
 By J. G. Palmer Secy



File with 100 Conty - 27th & 30th

457

Township N. 27 North, Range N. 6 East 2<sup>d</sup> Mer. Ind.<sup>a</sup>

### Township Lines.

Ch. Sk. South Boundary.

West on the S. Boundary of Sec. 36

8.22 a Hickory 24 in. dia.

31.37 an Ash 10 " "

40.00 set of sec. post from which

a Beech 28 in. dia. bears N 79° W 32 Mk. dist. 8

a Sugar 16 " " " N 68° E 38 " "

49.52 a gray Ash 10 " "

63.67 an Elm 24 " "

80.00 set post cor. of sec. 35 & 36 from which

a Beech 24 in. dia. bears N 58° W 42 Mk. dist. 8

a Do 12 " " " N 30° E 38 " "

This mile level & entirely covered with water  
with water in wet weather. Timber Beech,  
Elm, Ash, Oak & Hgr. Spruce, Picketly Ash

---

West on the S. Boundary of Sec. 35

12.18 a Swamp Oak 14 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 1° E 13 Mk. dist. 8

whip. Ash 18 " " " N 60° W 24 " "

61.20 a Beech 12 " "

80.00 set post cor. of sec. 34 & 35 from which

a Beech 24 in. dia. bears N 55° W 29 Mk. dist. 8

an Oak 18 " " " N 72° E 32 " "

First half mile same as before, last half  
mile not quite so wet. Timber same as in  
the last mile.

---

West on the S. Boundary of Sec. 34

9.43 an Elm 24 in. dia.

32.80 a Beech 20 " "

40.00 set of sec. post from which

an Elm 12 in. dia. bears N 42° W 31 Mk. dist. 8

a Beech 36 " " " N 50° E 38 " "

T. 27 N., R. 6 E., T. 2. Mer. Ind.<sup>e</sup>  
Chs. Ck?

55.80 a Stream 10 Mts. wide course N.  
80.00 set part cor. of sec. 33 & 34 from which  
a Sugar 18 in. dia. bears N 29 E 24 Mts. dist. &  
a Beech 20 " " " N 84 W 43 " "  
First half mile level, last half mile rolling 1.<sup>st</sup>  
rate land. Timber Beech, Sugar, Walnut,  
Oak, Elm &c. Upr. Spice &c.

---

West on the S. Boundary of Sec. 33

8.50 a Stream 3 Mts. wide course N.  
17.86 same stream 6 Mts. wide course SW  
18.00 Do 6 " " " NW  
18.37 a Walnut 14 in. dia.  
32.80 a Stream 8 Mts. wide course N  
40.00 set q. sec. part from which  
an Elm 20 in. dia. bears N 83 E 33 Mts. dist. &  
an Ironwood 8 " " " N 36 W 24 " "  
69.39 a Poplar 24 " "  
80.00 set part cor. of sec. 32 & 33 from which  
a Hickory 18 in. dia. bears N 39 E 28 Mts. dist. &  
a Bur Oak 24 " " " N 11 W 55 " "  
Land rolling & 1.<sup>st</sup> rate. Timber Beech, Sugar,  
Poplar, Walnut, Oak, Hickory &c. Upr. Spice &c.

---

West on the S. Boundary of Sec. 32

17.47 a Beech 24 in. dia.  
35.17 a Stream 17 Mts. wide course NW  
40.00 set q. sec. part from which  
an Elm 22 in. dia. bears N 56 E 43 Mts. dist. &  
a Do 12 " " " N 33 W 46 " "  
53.32 a Beech 24 " "  
80.00 set part cor. of sec. 31 & 32 from which  
an Ash 24 in. dia. bears N 69 W 30 Mts. dist. &  
a Do 18 " " " N 52 E 41 " "  
Land rolling & 1.<sup>st</sup> rate. Timber Beech, Sugar, Ash,  
Walnut &c. Upr. Spice &c.

---

T. 27 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>4</sup>  
Ch. 1<sup>st</sup>

West on the S. Boundary of Sec. 31

15.35 an Ironwood 8 in. dia.

40.00 set of sec. post from which

a W. Oak 22 in. dia. bears N 1 E 25 Ws. dist. 8

a Sugar 16 " " " N 35 W 40 " "

44.50 a stream 12 Ws. wide course NE

54.81 an Ash 24 in. dia.

69.95 set post cor. of T. 26 & 27 N, R. 5 & 6 E, from which

a Beech 18 in. dia. bears N 62 E 21 Ws. dist. 8

a Do 15 " " " N 56 W 65 " "

Land rolling & T. rate. Abundance of Sugar trees  
on this mile. Timber mostly Sugar, Beech & Ash,  
not much Upr. May 21. 1839

### East Boundary.

Bearings for corner of T. 26 & 27 N, R. 6 & 7 E.

a Beech 16 in. dia. bears N 65 W 16 Ws. dist. 8

a Do 24 " " " N 62 E 20 " "

North on the E. Boundary of Sec. 36

14.88 a Buckeye 14 in. dia.

30.90 a gray Ash 30 " "

40.00 set of sec. post from which

an Elm 24 in. dia. bears S 48 W 12 Ws. dist. 8

a Buckeye 12 " " " N 55 W 28 " "

64.40 an Elm 18 " "

80.00 set post cor. of sec. 25 & 36 from which

an Elm 14 in. dia. bears N 18 W 36 Ws. dist. 8

a Beech 12 " " " S 73 W 54 " "

Land level & inclined to wet. Timber Beech,  
Elm, Ash, Oak & Upr. Spruce, Ironwood &c.

North on the E. Boundary of Sec. 25

16.56 an Ironwood 6 in. dia.

28.00 an Indian Sugar camp

37.50 a stream 3 Ws. wide course NE

39.70 a Do 4 " " " E.

Chr. Sk. T. 27 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

40.00 set of sec. post from which  
a Sugar 12 in. dia. bears S 47° E 2 1/2 M. dist. 8  
a Do 10 " " " N 12° W 19 " "

63.00 an Indian trace, NW

64.80 a Beech 16 in. dia.

74.00 a Stream 40 M. wide course NW. and Road  
from Marion to Wabash

80.00 set post cor. of sec. 24 & 25 from which  
a Sugar 18 in. dia. bears S 52° W 33 M. dist. 8  
a Beech 18 " " " N 13° W 32 " "

Land broken by Bluffs of loess. Timber Beech,  
Sugar, Oak, Ash &c. Upr. Spruce, Juniper &c

North on the E. Boundary of Sec. 24

7.35 same stream 40 M. wide course NE. & second  
steep Bluff

14.83 a Beech 20 in. dia.

40.00 set of sec. post from which  
a Beech 30 in. dia. bears N 86° W 9 M. dist. 8  
a Buckeye 8 " " " N 47° W 59 " "

57.34 same stream 60 M. wide course NW

65.70 a Stream 20 M. wide course W

80.00 set post cor. of sec. 13 & 24 from which  
a Beech 24 in. dia. bears S 42° W 29 M. dist. 8  
a Do 28 " " " N 64° W 79 " "

Land rolling & 1<sup>st</sup> rate. Timber Beech, Sugar,  
Walnut, Elm, Ash &c. Upr. Spruce &c

North on the E. Boundary of Sec. 13

19.44 a Beech 12 in. dia.

40.00 set of sec. post from which  
a Beech 12 in. dia. bears N 70° W 22 M. dist. 8  
a Hickory 28 " " " S 15° W 40 " "

58.40 a Beech 10 " "

80.00 set post cor. of sec. 12 & 13 from which  
a Beech 20 in. dia. bears N 36° W 7 M. dist. 8



*Chs. Sp.* T. 27 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

a Buckeye 15 in. dia. bears S 49° W 53 lks. dist.  
Land rolling & fertile. Timber Beech, Sugar,  
Walnut, Buckeye, Oak &c. Ulp. Spice &c.

North on the E. Boundary of Sec. 12

11.50 an Ash 18 in. dia.

25.85 a Stream 9 lks. wide course SW

40.00 set of sec. post from which

a Sugar 22 in. dia. bears N 77° W 8 lks. dist. &

a Water Beech 6 " " " S 30° W 28 " "

42.50 a stream 15 lks. wide course W. A precipice of  
Limestone 40 feet high facing the South, running  
E & W. Offset 228 lks. East to pass it

50.70 a Beech 12 in. dia.

60.00 descend Bluff & enter overflowed Bottom

78.90 set post on left bank of Wabash River from which

a Maple 12 in. dia. bears S 71½° E 19 lks. dist. &

a Do 12 " " " S 28½° W 52 " "

The corresponding corner on the right bank of  
the Wabash bears N 29° E 5.67 lks. distant  
(Description of land &c. omitted.)

May 19. 1839 Chauncy Carter

Deputy Surveyor.

South on the E. Boundary of Sec. 1, Var. 5.55. E.

34.10 a S. Ash 15 in. dia.

40.00 set of sec. post from which

a Ironwood 7 in. dia. bears N 14° W 25 lks. dist. &

a Buckeye 8 " " " S 20° W 8 " "

53.18 a Bur Oak 22 " "

70.82 set post on right bank of Wabash R. from which

a Buckeye 18 in. dia. bears North 20 lks. dist. &

a Hackberry 16 " " " N 45° W 18 " "

Land level & a little wet & fertile. Timber Hack-  
berry & Oak. Ulp. Elm & Buckeye

October 27. 1827



T. 27 N., R. 6 E. 2. Mer. Ind. <sup>a</sup>  
 Ch. Sp.

North Boundary. Var. 5.55. E,  
 East on the S. Boundary of Sec. 31, T28 N, R6 E  
 28.66 an Elm 13 in. dia.

30.27 set of sec. part from which  
 a Sugar 4 in. dia. bears N54°W24 Ws. dist. 2  
 an Elm 21 " " " N16 E 2 " "

54.77 a Beech 10 " "

70.27 set part cor. of sec. 31 & 32 from which  
 a Beech 10 in. dia. bears N39°W33 Ws. dist. 2  
 a No 10 " " " N80 E 33 " "

East on the S. Boundary of Sec. 32, T28 N, R6 E  
 28.60 an Elm 18 in. dia.

40.00 set of sec. part from which  
 a Buckeye 10 in. dia. bears N50°W34 Ws. dist. 2  
 an Elm 6 " " " N78 E 13 " "

65.10 a Beech 10 " "

79.08 a Stream 25 Ws. wide course SW

80.00 set part cor. of sec. 32 & 33 from which  
 a Sugar 20 in. dia. bears N38°W23 Ws. dist. 2  
 a Beech 18 " " " N42 E 45 " "

East on the S. Boundary of Sec. 33, T28 N, R6 E  
 25.06 a Beech 11 in. dia.

40.00 set of sec. part from which  
 a Beech 16 in. dia. bears N71°W69 Ws. dist. 2  
 a Hickory 15 " " " N37 E 17 " "

60.00 a Sugar 12 " "

80.00 set part cor. of sec. 33 & 34 from which  
 a S. Ash 9 in. dia. bears N68°W32 Ws. dist. 2  
 an Elm 10 " " " N61 E 24 " "

East on the S. Boundary of Sec. 34, T28 N, R6 E.  
 23.98 a Beech 16 in. dia.

40.00 set of sec. part from which  
 a Beech 10 in. dia. bears N64°W17 Ws. dist. 2

T. 27 N., R. 6 E., S. Mer. Ind.  
 E. W. N. P.

a Beech 10 in. dia. bears N 52 E 25 W. dist.

66.00 a Beech 6 " "

80.00 set post cor. of sec. 34 & 35 from which

a Lym 12 in. dia. bears N 18 W 25 W. dist. 8

a Buckeye 0 " " N 81 E 8 " "

East on the S. Boundary of Sec. 35, T 28 N, R 6 E  
 24.49 a Beech 16 in. dia.

40.00 set of sec. post from which

a B. Ash 22 in. dia. bears N 53 W 23 W. dist. 8

a Beech 20 " " " N 70 E 74 " "

71.01 a B. Ash 9 " "

73.00 a Stream 20 W. wide course SW

75.00 a Do 20 " " " NW

78.03 a Do 20 " " " SE

80.00 set post cor. of sec. 35 & 36 from which

a Beech 20 in. dia. bears N 34 W 13 W. dist. 8

a Do 10 " " " N 40 E 5 " "

Land level 2 rods. Timber Beech, Oak, Ash

East on the S. Boundary of Sec. 36, T 28 N, R 6 E

21.87 a Poplar 24 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 46 W 48 W. dist. 4

a Hickory 4 " " " N 36 E 28 " "

60.39 a Beech 16 " "

80.00 set post cor. of T. 27 & 28 N, R. 6 & 7 E from which

a Beech 19 in. dia. bears N 62 W 30 W. dist. 8

a Do 19 " " " NW E 20 " "

Land & timber same as last described.

West Boundary. Var. E. 01. E.

Bearings at corner of T. 27 & 28 N, R. 5 & 6 E.

a Hickory 20 in. dia. bears S 81 W 59 W. dist. 8

a Elm 15 " " " N 68 E 12 " "

South on the E. Boundary of Sec. 1, T 27 N, R 5 E.

*J. D. N., R. O. O. L. Mer. Ind.<sup>a</sup>*

Edw. L. K.

16.83 a Beech 10 in. dia.

40.00 set of sec. port from which

a B. Oak 40 in. dia. bears S 30 W 8 N. dist. 8

a Poplar 6 " " " N54W13 " "

61.0% a Beech 14% "

80.00 set front cov. of sec. 1 & 12 from which

a Beech 12 in. dia. bears S46W12Wk. dist. 3.

u Slo 16 " " " N12E 39 " "

South on the E. Boundary of Sec. 12, T27N, R5E

30.40 a Poplar 30 in. dia.

40.00 set of sec. post from which

a Buckeye 11 in. dia. bears N 28° W 48 lbs. dist. 3

a L<sup>o</sup> 5, , , S10949, ,

50.41 a Beech 27, "

80.00 set part con. of Dec. 12 & 13 from which

a Buckeye 10 in. dia. bears N39W40 Uts. dmt. 8

a Do<sup>o</sup> 10 " " " 964713 " "

South on the E. Boundary of Sec. 13, T27N, R25E

21.90 an Elm 16 in. dia.

40.00 Int of Sec. paid from which

u. Hickory 13 in. dia bears N 36 W 21 N. dist. 8

*a Buckeye 12 4 5 5 50476 5 5*

69.03 a Buckeye 16 s

71.62 set post on right bank of Wabash R. from which

a Hackberry 10 in. dia bears N 29 W 35 lbs. dirt.

*Maple 8      "      "      "      Elart 10      "      "*

Sand Point, October 27, 1827

David Hillis, Dep. Surv.

North on the E. Boundary of Sec. 36, T2<sup>1</sup>/N, R5 E

8.53 a Beech 20 in. dia.

32.02 a Poplar 22 " "

40.00 Set of sec. part from which

a Beech 14 in. dia. bears 570 W 36 lbs. dirt. 8

*T. 27 N., R. 6 E. 2. Mer. Ind.?*  
*Chs. 80.*

a Sugar 18 in. dia. bears N 20 W 53 lks. dist.  
 45.65 an Oak 28 " "  
 65.00 a Sugar 18 " "  
 67.00 a Stream 20 lks. wide course NW  
 80.00 set part cor. of sec. 25 & 36 from which  
 an Oak 22 in. dia. bears N 30 W 50 lks. dist. &  
 a Sugar 16 " " S 51 W 80 " "  
 Land rolling & good. Timber Beech, Sugar,  
 Oak, &c. No Upr.

North on the E. Boundary of Sec. 25, T. 27 N., R. 5 E.  
 20.42 a Beech 24 in. dia. An Indian trace, N 30 E  
 40.00 a Beech 16 " " stands for cor. sec. from wh.  
 an Elm 40 " " bears N 39 W 23 lks. dist. &  
 a Beech 24 " " S 54 W 19 " "  
 44.50 enter wet Prairie, N 40 E, S 40 W  
 80.00 set part cor. of sec. 24 & 25 from which Mound  
 in Prairie. Prairie wet & rough.  
 South of Prairie land T. rate.

North on the E. Boundary of Sec. 24, T. 27 N., R. 5 E.  
 10.49 leave Prairie, N 70 W, S 60 E. an Oak 18 in. dia.  
 37.00 a Buckeye 16 in. dia.  
 40.00 set cor. sec. part from which  
 a Beech 22 in. dia. bears N 30 W 66 lks. dist. &  
 a Do 18 " " S 80 W 49 " "  
 79.58 set part on left bank of Mahesh R. from which  
 a Buckeye 24 in. dia. bears S 69 E 20 lks. dist. &  
 a Sugar 10 " " S 33 W 44 " "  
 About 15.00 Chs. East from where the line  
 leaves the Prairie are the improvements of  
 the Miami Blacksmith and Miller.  
 The corresponding corner on the right bank  
 bears N 12 E. 3.86 Chs. dist.  
 (Description of land omitted) May 23. 1839  
 Chauncy Carter, Dep. Surveyor.

Chas. C. V. J. 27 N., R. C. C. L. Mer. Ind.<sup>a</sup>

### Subdivision.

South between Secs. 1 & 2

Saturday, April 5. 1828

- 40.00 set of sec. post from which  
an Ironwood 7 in. dia. bears N 22 E 25 Ws. dist. 4  
a Beech 10 " " " S 80 E 23 " "  
80.00 set post cor. of Secs. 1, 2, 11 & 12 from which  
a Cherry 15 in. dia. bears N 37 W 20 Ws. dist. 9  
a Sugar 12 " " " N 52 W 13 " "  
Land rolling & rich.

East on Raudern between Secs. 1 & 12

40.00 set temp. of sec. post

- 69.57 set post on right bank of Wabash River from which  
a Buckeye 6 in dia. bears N 56 W 22 Ws. dist. 8  
a Walnut 5 " " " S 80 W 20 " "  
First half mile broken, last half level & rich

West marked back between Secs. 1 & 12

- 39.57 established of sec. cor. at temp. post from which  
a Hickory 6 in. dia. bears N 8 E 2 Ws. dist. 9  
a W. Oak 6 " " " N 65 W 22 " "  
69.57 to sec. cor.

South between Secs. 11 & 12

- 10.00 a Walnut 20 in. dia.  
10.50 a Branch, course SW  
23.60 a Do " SE  
40.00 set of sec. post from which  
a Beech 20 in. dia. bears N 71 W 14 Ws. dist. 8  
a Do 15 " " " N 42 E 72 " "  
42.87 set post on right bank of Wabash R. from which  
an Elm 12 in. dia. bears N 68 E 52 Ws. dist. 8  
a Willow 6 " " " S 31 E 21 " "  
Land rolling, rather broken & very rich. Timber  
Ash, Sugar, Beech, Walnut & Elm. Spice, Pawpaw,



*Ch. J. K.* T. 27 N., R. 6 E. 2<sup>d</sup> Mer. Ind<sup>a</sup>

*Ironwood*

*South between Sec. 2 & 3*

*Monday, April 7, 1828*

25.20 a Stream 8 M<sup>rs</sup>. wide course SE

26.18 a Sugar 24 in. dia.

40.00 set q<sup>r</sup>. sec. post from which

a Beech 23 in. dia. bears S 36° W 9 M<sup>rs</sup>. dist. &

a Do 18 " " " N 48° E 14 " "

45.00 a Sugar 20 " "

80.00 set post cor. of Sec. 2, 3, 10 & 11 from which

a Beech 18 in. dia. bears S 34° W 40 M<sup>rs</sup>. dist. &

a Do 16 " " " N 48° E 21 " "

Land level 2<sup>d</sup> rate. Timber Beech, Oak, Ash &  
Upr. Spice, Dogwood

*East on Random between Sec. 2 & 11*

17.70 a Stream 8 M<sup>rs</sup>. wide course SW

40.00 set temp. q<sup>r</sup>. sec. post

40.50 a Stream 15 M<sup>rs</sup>. wide course SW

81.06 Intersect N. G. line 60 M<sup>rs</sup>. S. of post—

Land level 2<sup>d</sup> rate. Timber as before described

*West Connected between Sec. 2 & 11*

40.53 set q<sup>r</sup>. sec. post at aver. dist. from which

a Buckeye 8 in. dia. bears N 38° W 11 M<sup>rs</sup>. dist. &

a Hickory 11 " " " N 54° E 14 " "

81.06 to sec. cor.

*South between Sec. 10 & 11*

7.70 a Sugar 20 in. dia.

13.10 Intersect N. Boundary of Charley's Reserve 11.35

Ch. West of the N.E. corner thereof, set post from wh.

a Beech 8 in. dia. bears S 55° W 3 M<sup>rs</sup>. dist. &

a Do 8 " " " North 7 " "



Ch. 27 N., R. 6 E. 2<sup>d</sup> Mer. Ind. a

Ch. 27 N.

13.16 North of the S.E. corner of Reserve on the line made corner of Sec. 11 & 14 from which  
a Hickory 10 in. dia. bears N 9 E 18 Ws. dist. 8  
a Buckeye 10 " " " S 6 E 15 " " thence  
East between Sec. 11 & 14

28.65 set of sec. post from which  
a Buckeye 8 in. dia. bears N 67 E 18 Ws. dist. 8  
a Hackberry 4 " " " N 70 W 10 " "

29.25 a Buckeye 10 " "

54.77 set post on right bank of Wabash R. from which  
a Honey Locust 30 in. dia. bears S 52 W 143 Ws. dist. 8  
an Elm 24 " " " N 64 W 80 " "  
Land level & rich 1<sup>st</sup> rate. Timber Beech, Sugar,  
Poplar, Walnut, Ash & Oak. Upr. Spice, Pawpaw &c.

South between Sec. 14 & 15

Set post on S. Boundary of Charley's Reserve  
11.35 Ch. 27 N. of the S.E. corner, from which  
a Hackberry 24 in. dia. bears S 61 W 17 Ws. dist. 8  
a Do 12 " " " N 33 W 56 " "

13.20 set post on right bank of Wabash R. from which  
a Hackberry 12 in. dia. bears N 88 W 8 Ws. dist. 8  
a Do 12 " " " S 73 E 18 " "

South between Sec. 13 & 14

40.00 set of sec. post from which  
an Ironwood 5 in. dia. bears N 41 E 5 Ws. dist. 8  
a Beech 7 " " " S 43 W 35 " "

47.50 a Stream 8 Ws. wide course S E

58.50 a Beech 24 in. dia.

80.00 set post cor. of sec. 3, 4, 9 & 10 from which  
a Beech 10 in. dia. bears S 54 E 17 Ws. dist. 8  
an Ash 10 " " " S 62 W 24 " "

Land level 2<sup>d</sup> rate. Timber Beech, Ash, Sugar,  
Poplar, Oak. Upr. Spice, Dogwood

T. 27 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
 Chas. M.

East on Random between Sec. 3 & 10

2.10 a Stream 8 Mts. wide course SW

27.50 a Do 10 " " " " SW

40.00 set temp. of sec. port

80.48 Intersect N. S. line 197 Mts. N. of port -

Land level 2<sup>d</sup> rate.

West Connected between Sec. 3 & 10

40.24 set of sec. port at aver. dist. from which

a Beech 12 in. dia. bears N 10 E 13 Mts. dist. &

an Ash 10 " " " S 67 E 10 " "

80.48 to sec. cor.

South between Sec. 9 & 10

4.30 an Ash 10 in. dia.

20.75 a Stream 18 Mts. wide course W

40.00 set of sec. port from which

a Beech 6 in. dia. bears S 66 E 15 Mts. dist. &

a Do 10 " " " N 54 E 23 " "

57.75 a Sugar 18 " "

80.00 set port cor. of sec. 9, 10, 15 & 16 from which

an Ash 9 in. dia. bears N 60 W 18 Mts. dist. &

a Hickory 3 " " " N 58 E 3 " "

First half mile level 2<sup>d</sup> rate, last half mile

broken 1<sup>st</sup> rate. Timber Beech, Sugar, Ash, Walnut,

Poplar, Oak. Upr. Spice, Dogwood

East between Sec. 10 & 15

10.55 Intersect W. Boundary of Charley's Reserve, 13.10

Chas. North of the SW. corner thereof, set port from

wh. a Buckeye 6 in. dia. bears West 7 Mts. dist. &

a Do 16 " " " N 48 E 9 " "

South between Sec. 15 & 16

14.26 set port on right bank of Wabash R. from which

a Sugar 18 in. dia. bears S 38 E 9 Mts. dist. &

T. 27 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>e</sup>  
 E. 1<sup>st</sup> Sec.

a Sugar 12 in. dia. beam N 85° W 13 Mk. dint.

South between Sec. 4 & 5

14.97 a Beech 13 in. dia.

40.00 set q. sec. post from which

a Ironwood 10 in. dia. beam S 44° W 13 Mk. dint. 3

a Do 6 " " " N 26° E 25 " "

65.95 a Beech 16 " "

66.50 a Stream 10 Mk. wide course S E

80.00 set post ca. of sec. 4, 5, 8 & 9 from which

a Ironwood 7 in. dia. beam S 35° W 13 Mk. dint. 3

a Do 4 " " " N 86° E 28 " "

Land rolling 1<sup>st</sup> half mile 2<sup>d</sup> rate, last half  
 1<sup>st</sup> rate. Timber Beech, Ash, Oak, Sugar, Walnut  
 Upr. Spice, Beech. Tuesday, April 8. 1828

East on Random between Sec. 4 & 9

25.00 a small Willow Swamp

40.00 set temp. q. sec. post

55.20 a Stream 10 Mk. wide course S E

80.13 Intersect N & S line 148 Mk. N. of post—

Rolling 2<sup>d</sup> rate

West Connected between Sec. 4 & 9

40.06 set q. sec. post at aver. dint. from which

a Beech 12 in. dia. beam S 35° E 12 Mk. dint. 3

a Do 10 " " " N 19° E 15 " "

80.13 to sec. cor.

South between Sec. 8 & 9

2.50 a Hickory 18 in. dia.

4.00 a Stream 10 Mk. wide course S E

40.00 set q. sec. post from which

a Beech 12 in. dia. beam S 11° W 17 Mk. dint. 3

a Do 20 " " " N 33° E 33 " "

40.40 a Beech 18 " "

# T. 27 N., R. 6 E. 2. Mer. Ind.?

Ch. 10?

56.50 a Stream 12 Mts. wide course SE.

80.00 set post cor. of sec. 8, 9, 16 & 17 from which  
a Sugar 18 in. dia. bears N 86° W 12 Mts. dist. 8,

a Hickory 12 " " " N 56° E 21 " "

Land level, 1. <sup>st</sup> half mile 2. <sup>nd</sup> rate, last half 1. <sup>st</sup> rate

East on Random between Sec. 9 & 10

17.50 a deep, rocky ravine, dry

40.00 set temp. of sec. post

81.18 Intersect N & S line 120 Mts. N. of post -

Land level very rich, but the 2. <sup>nd</sup> half mile is low  
bottom, perhaps overflows

West Connected between Sec. 9 & 10

40.59 set of sec. post at aver. dist. from which

a Hackberry 10 in. dia. bears N 64° W 15 Mts. dist. 8,

an Elm 20 " " " S 50° E 10 " "

81.10 to sec. cor.

South between Sec. 16 & 17

22.62 set post on right bank of Wabash R. from which

a Hackberry 10 in. dia. bears N 63° E 16 Mts. dist. 8

a Do 10 " " " S 34° W 17 " "

South between Sec. 5 & 6

12.50 a Stream 10 Mts. wide course SW

36.60 a Do 10 " " " " SE

40.00 set of sec. post from which

a Sugar 8 in. dia. bears East 7 Mts. dist. 8,

a N. Beech 8 " " " N 2° E 37 " "

46.55 an Elm 24 " "

80.00 set post cor. of sec. 5, 6, 7 & 8 from which

a Hickory 10 in. dia. bears N 86° E 13 Mts. dist. 8,

a cherry 9 " " " N 56° W 7 " "

Land rolling & rich. Timber Beech, Ash, Oak,  
Walnut, Sugar B. <sup>st</sup> Wp. Spice, Pawpaw, Buckeye,



Chs. Sh. T. 27 N., R. 6 E. 2. Mer. Ind.<sup>a</sup>

Sugar, Dogwood

East on Random between Sec. 5 & 8

12.50 a Branch 8 Mts. wide curve SE

18.50 a Do 12 " " " S

40.00 set temp. gr. sec. post

80.27 Intersect N. S. line 14 Mts. S. of post -  
Land level 2 rate

West Corrected between Sec. 5 & 8

40.13 set gr. sec. post at area. dirt. from which

a Beech 15 in. dia. leans S 37 E 18 Mts. dirt. 2

a Do 24 " " " S 88 W 24 " "

80.27 to sec. cor.

West between Sec. 6 & 7

1.40 an Ash 24 in. dia.

11.50 a Stream 8 Mts. wide curve S.

40.00 set gr. sec. post from which

a Beech 18 in. dia. leans N 60 W 14 Mts. dirt. 2

a Buckeye 4 " " " N 82 E 12 " "

40.50 a Stream 8 Mts. wide curve SE

70.32 Intersect N. Boundary 87 Mts. N. of post -

set post at intersection cor. of sec. 6 & 7 from which

a Walnut 6 in. dia. leans S 32 W 15 Mts. dirt. 2

a Beech 9 " " " N 78 E 25 " "

Land rolling 2 rate. Timber as before noted.

Note. We find no corner here on the Range line,  
either it is much North of us, or there has no  
corner been made by Hillis.

South between Sec. 7 & 8

17.75 a Stream 10 Mts. wide curve SE

18.94 a Sugar 18 in. dia.

22.50 a Stream 15 Mts. wide curve SE

40.00 set gr. sec. post from which

Ch. 10. T. 27 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>o</sup>

a Beech 15 in. dia. beam S 46 E 29 W. dist. 2  
 a Do 22 " " " N 25 W 9 " "  
 80.00 set post cor. of sec. 7, 8, 17 & 18 from which  
 a Beech 10 in. dia. beam S 6 E 7 W. dist. 2  
 a Do 15 " " " N 64 E 24 " "  
 Good 2<sup>d</sup> rate land.

East on Random between Sec. 8 & 17

40.00 set temp. gr. sec. post  
 80.04 Intersect N. G. line 34 W. N. of post -  
 Land rolling T. rate. Timber Beech, Ash, Oak,  
 Sugar, Walnut. W. Spruce, Pawpaw, Sugar

West Corrected between Sec. 8 & 17

40.02 set gr. sec. post at aver. dist. from which  
 a Hickory 5 in. dia. beam S 63 E 24 W. dist. 3  
 a Beech 14 " " " N 52 W 17 " "  
 80.04 to sec. cor.

South between Sec. 17 & 18

8.75 a Sugar 20 in. dia.  
 40.00 set gr. sec. post from which  
 a Beech 12 in. dia. beam S 19 E 27 W. dist. 2  
 a Sugar 20 " " " N 61 E 32 " "  
 47.00 an Elm 30 " "  
 57.27 set post on right bank of Wabash R. from which  
 a Maple 22 in. dia. beam S 50 E 21 W. dist. 2  
 a Do 8 " " " N 19 W 15 " "  
 Land rolling T. rate. Timber Lycamore, Sugar,  
 Ash, Oak, Walnut

West between Sec. 7 & 18

40.00 set gr. sec. post from which  
 a Beech 0 in. dia. beam N 3 W 26 W. dist. 2  
 a Do 12 " " " S 54 W 17 " "  
 41.78 an Elm 24 " "



474

T. 27 N., R. 6 E. 2. Mer. Ind. a

Ch. Sk.

58.78 a Stream 20 Mts. wide course S.

59.00 a Spring branch

69.82 Intersect W. Boundary 100 Mts. N. of port -  
 set port at intersection cor. of sec. 7 & 18 from which  
 a Sugar 8 in. diam. bears N 85° W 28 Mts. dist. - 8  
 ab. Walnut 5 " " South 4 " "

Land rolling, first half mile 1<sup>st</sup> rate, last  
 half mile 2<sup>nd</sup> rate. Timber as before noted.

Meanders of Wabash River. Right  
 bank up stream. Beginning at port in  
 West Boundary, thence:

Courses Ch. Sk.

Remarks:

N 60° E 7.70 In Sec. 18

N 53° E 10.00 a Branch

N 73° E 7.80

N 78° E 30.00

S 70° E 13.80 to port in line between Sec. 17 &amp; 18

N 57° E 14.50 In Sec. 17

N 87° E 20.50

N 60° E 10.00 at 8.50 Ch. opposite a small Island

N 57° E 19.00

N 63° E 11.50 handsome springs here

N 74° E 14.16 to port in line between Sec. 16 &amp; 17

April 10. 1828

N 87° E 10.00 In Sec. 16

N 74° E 15.00

N 69° E 13.00

S 83° E 17.00

N 72° E 12.00

N 70° E 11.00

S 66° E 15.00 to port in line between Sec. 15 &amp; 16

T. 27 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>

Corners: Chs. &amp; Secs.

Remarks

965E 12.00 In Sec. 15  
 984E 16.00 at 14.00 Chs. mouth of small Creek  
 979E 7.00  
 987E 15.00  
 978E 10.00  
 986E 21.00 to post in line between Secs. 14 & 15, and at upper end of small Island

980E 30.00 In Sec. 14  
 961E 8.00  
 943E 27.00 at 20.00 Chs. opposite small Island  
 969E 12.64 to post in line between Secs. 14 & 15  
 About 8 Chs. North of this the Treaty was held at a beautiful spring.

941E 7.00 In Sec. 11  
 923E 11.00 opposite small Island  
 921E 21.00  
 935E 0.87 to post in line between Secs. 11 & 12

941E 23.00 In Sec. 12 at 17.50 Chs. a Spring branch  
 958E 9.00 opposite lower end of Island  
 East 17.00 at 12.00 Chs. upper end of Do  
 978E 13.00  
 969E 13.00  
 978E 6.00  
 910E 10.50 to post in line between Secs. 1 & 12

943E 8.00 In Sec. 1  
 975E 5.20 to post in E. Boundary of Township.  
 Var. 5.55' E. April 10. 1828

Pursuant to a contract dated January 26<sup>th</sup> 1828 - with, and instructions from Edward Tiffin, Surveyor General of the United States, I have surveyed and subdivided into sections

T. 27 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

the foregoing Township in Indiana, as directed  
in said contract, and I certify that the foregoing  
are correct and true field notes of the lines  
which they purport to be as part of said contract.

Certified July 24. 1828

John Hendricks

Deputy Surveyor.

North between Sec. 35 & 36 Var. 5° 26' E

10.90 a Lym 15 in. dia.

33.10 a Bur Oak 20 in. dia.

40.00 set of sec. post from which

a Hickory 14 in. dia. bears S 46° 41' 27" W. dist. 3

a do 16 " " " N 50° E 38 " "

51.21 a Beech 12 " "

60.38 a W. Oak 10 " "

80.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 10 in. dia. bears N 55° E 20 W. dist. 3

a Hickory 24 " " " S 70° 41' 48 " "

Land level Sweet. Timber Elm, Oak, Hickory,

Swamp Ash, Lym, Beech & Spice, P. Ash & 3

East on Random between Sec. 25 & 36

80.00 Intersect E. Boundary 17 W. N. of post -

Land level 2<sup>d</sup> rate Sweet. Timber Oak, Hickory,

Elm, Beech & W. Y. Spice, Prickly Ash & 3

West Corrected between Sec. 25 & 36

11.47 a Gray Ash 18 in. dia.

31.88 a Hickory 18 " "

40.00 set of sec. post at aver. dist. from which

a Beech 12 in. dia. bears N 60° E 13 W. dist. 3

a Sugar 18 " " " S 14° E 35 " "

50.17 a Poplar 28 " "

69.97 a Beech 15 " "

80.00 to sec. cor.

477

T. 27 N., R. 6 E. 2<sup>d</sup> Mer. Ind. a

Chs. L. P.

North between Secs. 25 & 26

14.84 a Beech 10 in. dia.

31.10 a Bur Oak 36 in. dia.

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 25 E 27<sup>th</sup> Ws. dist. 8

an Elm 18 " " " S 10<sup>th</sup> W 23 " "

50.49 a Sugar 12 " "

65.44 a Beech 24 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Beech 14 in. dia. bears N 35 E 44<sup>th</sup> Ws. dist. 8,

a Do 8 " " " South 3 " "

South half mile level & wet, North half  
mile rolling 2<sup>d</sup> rate. Timber Beech, Elm,  
Oak, Sugar, Ash, Lym, Hickory & Spice &c.

---

East on Randon between Secs. 24 & 25

67.00 Road from Marion to Wabash, NW

76.50 a Stream 50 Ws. wide course N.

80.52 Intersect E. Boundary 39 Ws. N. of post —

Land rolling 2<sup>d</sup> rate. Timber Beech, Oak, Elm,  
Sugar, Ash, Lym &c. Wp. Spice &c.

---

West Corner between Secs. 24 & 25

11.97 a W. Oak 40 in. dia.

27.13 a Beech 12 " "

40.26 set of sec. post at aver. dist. from which

a Beech 12 in. dia. bears N 43 E 5<sup>th</sup> Ws. dist. 8

a Do 8 " " " S 32<sup>th</sup> W 35 " "

48.25 a Lym 20 " "

63.36 a W. Oak 20 " "

80.52 to sec. cor. July 29. 1839

---

North between Secs. 23 & 24

13.40 a Beech 10 in. dia.

28.04 a Hickory 24 " "

40.00 set of sec. post from which



T. 27 N., R. 6 E., 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Ch. 1<sup>st</sup>

- a Beech 10 in. dia. bears N 75 E 27 Ms. dist. 8  
 a Sugar 20 " " " S 64 W 18 " "  
 46.50 Road from Marion to Wabash, NW  
 51.64 Intersect S. Boundary of Grant N. 18 at 73 Ms.  
 West of the S.E. corner thereof, set post from which  
 a Beech 10 in. dia. bears N 74 W 17 Ms. dist. 8  
 a Lym 36 " " " South 3 " "  
 Land rolling & good. Timber Beech, Sugar,  
 Oak, Elm, Ash &c. Upr. Spice &c.

West on true line between Sec. 13 & 24

- 15.85 a Beech 24 in. dia.  
 27.40 a Stream 50 Ms. wide runs NW  
 30.60 a Beech 14 in. dia.  
 37.55 Intersect E. Boundary of Grant N. 19, set post  
 from which  
 an Elm 24 in. dia. bears N 15 W 3 Ms. dist. 8  
 a Buckeye 10 " " " S 44 W 21 " "  
 Measured along said E. Boundary South  
 32.36 Ch. to the S.E. corner, and North 42.83  
 Ch. to the N.E. corner.  
 Land rolling & T. rate. Timber Beech, Sugar,  
 Elm, Oak, Ash, Walnut &c. Upr. Spice &c.

North between Sec. 34 & 35

- 10.24 a Beech 12 in. dia.  
 25.84 a Hickory 18 " "  
 40.00 set q. sec. post from which  
 a Beech 10 in. dia. bears N 77 E 10 Ms. dist. 8  
 a Do 14 " " " S 68 W 12 " "  
 61.59 a Lym 14 " "  
 79.48 a Beech 15 " "  
 80.00 set post cor. of sec. 26, 27, 34 & 35 from which  
 a Hickory 28 in. dia. bears S 13 W 5 Ms. dist. 8  
 a Beech 12 " " " N 35 E 35 " "  
 Land level & principally dry 2<sup>d</sup> rate. Timber



T. 27 N., R. 6 E., 2<sup>d</sup> Mer. Ind. a.  
Chas. L. W.

Beech, Oak, Sugar, Elm, Ash, Hickory, Lym  
v. Upr. Spice &c.

East on Random between Sec. 26 & 35

79.77 Intersect N. & S. line 22 M. S. of post -

Land level & tolerably dry 2<sup>d</sup> rate. Timber Beech,  
Oak, Elm, Sugar, Hickory &c. Upr. Spice &c.

West Connected between Sec. 26 & 35

9.34 a Hickory 15 in. dia.

24.84 a Do 18 " "

39.89 set of sec. post at aver. dist. from which

a Beech 16 in. dia. bears S 32 E 18 M. dist. 3

a Do 6 " " " N 43 W 17 " "

47.25 a B. Oak 15 " "

63.13 a Lym 12 " "

79.77 to sec. cor.

North between Sec. 26 & 27

16.59 an Elm 24 in. dia.

30.41 a Beech 20 " "

40.00 set of sec. post from which

an Elm 18 in. dia. bears South 2 M. dist. 3

a Do 30 " " " N 66 W 9 " "

53.74 a Walnut 24 " "

71.67 a Beech 14 " "

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Beech 18 in. dia. bears N 8 E 10 M. dist. 3

a Do 14 " " " S 77 W 16 " "

Level & tolerably dry 2<sup>d</sup> rate. Timber Beech,

Oak, Hickory, Elm, Sugar, Ash, Lym, Walnut  
&c. Upr. Spice &c. July 20. 1839

East on Random between Sec. 23 & 26

53.85 a Stream 10 M. wide course N.

79.45 Intersect N. & S. line 8 M. S. of post -

T. 27 N., R. 6 E., S. 2 Mer. Ind. a

Chs. Sh.

West half mile level, East half rolling S. rate.  
 Timber Beech, Oak, Elm, Sugar, Ash, Hickory  
 & Ulp. Spice &c

West Connected between Sec. 23 & 26

13.24 an Elm 16 in. dia.

27.30 a Sugar 24 " "

39.73 set of sec. post at aver. dist. from which  
 a Beech 24 in. dia. bears N 41 E 15 lbs. dist. 8  
 a Do 10 " " " S 8 W 11 " "

53.70 a Sugar 24 " "

68.85 a Beech 12 " "

79.45 to sec. cor.

North between Sec. 22 & 23

10.33 a Sugar 14 in. dia.

24.72 a Beech 18 " "

40.00 set of sec. post from which  
 a Beech 18 in. dia. bears N 53 E 22 lbs. dist. 8  
 a Do 24 " " " S 47 W 28 " "

43.00 a Beech 14 " "

51.75 Intersect NW corner of Grant N. 18 at post  
 Land rolling S. rate. Timber Beech, Sugar,  
 Oak, Elm, Ash, Hickory & Ulp. Spice &c

North between Sec. 33 & 34

10.50 a Stream 10 lbs. wide course NW

18.92 a Sugar 15 in. dia.

32.00 a Hickory 30 " "

40.00 set of sec. post from which  
 a Beech 8 in. dia. bears N 38 E 4 lbs. dist. 8  
 a Hickory 20 " " " S 81 W 5 " "

54.77 an Ash 8 " "

63.50 a Stream 12 lbs. wide course NW

67.53 a Hickory 20 in. dia.

80.00 set post cn. of sec. 27, 28, 33 & 34 from which

George J.

481  
T. D. N., R. O. E. J. Mer. Ind. &  
Chas. J. W.

a Beech 36 in. dia. leans N 80° W 10 W. dist. 3  
a Do 30 " " " N 75° E 52 " "  
Land level & good. Timber Beech, Sugar, Hickory,  
Ash, Elm & Upr. Spice, young Sugar &c.

---

East on Random between Sec. 27 & 34

80.19 Intersect N. S. line 16 W. N. of post—  
Land level & wet. Timber Beech, Hickory, Oak,  
Elm, Sycamore & not much Upr.

---

West Corrected between Sec. 27 & 34

12.01 a W. Oak 36 in. dia.  
27.42 a Swamp Ash 20 in. dia.  
40.10 set of sec. post at aver. dist. from which  
a W. Oak 36 in. dia. leans N 18° E 11 W. dist. 3  
an Ash 12 " " " S 12° E 32 " "  
50.48 a Sycamore 14 " "  
60.38 a Poplar 28 " "  
80.19 to sec. cor.

---

North between Sec. 27 & 28

10.90 a Beech 10 in. dia.  
31.55 a Hickory 30 " "  
40.00 set of sec. post from which  
an Elm 18 in. dia. leans S 25° W 25 W. dist. 8  
a Beech 10 " " " N 10° E 25 " "  
49.02 an Ash 4 " "  
67.12 a Beech 24 " "  
80.00 set post cor. of sec. 21, 22, 27 & 28 from which  
a Beech 15 in. dia. leans N 29° W 26 W. dist. 3  
a Do 18 " " " N 83° E 7 " "  
Land slightly rolling & water. Timber Beech,  
Oak, Sugar, Ash, Elm, Hickory & Upr. Spice,  
young Sugar &c.

---

East on Random between Sec. 22 & 27

T. 27 N., R. 6 E. 2. Mer. Ind. a

Ch. 100

80.24 Intersect N. S. line 10 W. S. of post —  
Land rolling 2. rate. Timber Beech, Sugar  
Oak, Hickory, Elm, Ash & C. W. Spruce & C.

West Connected between Sec. 22 & 27

12.17 an Ash 24 in. dia.

27.88 a Do 6 " "

40.16 set of sec. post at aver. dist. from which  
a Beech 10 in. dia. bears N 60 E 2 W. dist. 2  
a Do 12 " " " S 50 E 25 " "

54.02 a Beech 8 " "

67.03 an Ash 10 " "

80.24 to sec. cor. July 31. 1839

North between Sec. 21 & 22

19.19 a Beech 15 in. dia.

30.27 a Do 10 " "

40.00 set of sec. post from which  
a Sugar 18 in. dia. bears S 58 W 17 W. dist. 2  
a Do 12 " " " S 72 E 31 " "

49.89 Intersect NW corner of Grant N. 23 at post —  
Land level & good. Timber Beech, Sugar, Ash,  
Oak, Walnut, Elm & C. W. Spruce, Hemlock & C.

North between Sec. 32 & 33

10.22 a Hickory 28 in. dia.

25.27 a Beech 20 " "

40.00 set of sec. post from which  
a Beech 18 in. dia. bears N 50 W 34 W. dist. 2  
a Sugar 12 " " " S 22 E 52 " "

43.00 a Stream 20 W. wide course W

58.59 a Beech 36 in. dia.

72.34 a B. Oak 40 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which  
a W. Oak 36 in. dia. bears N 38 W 33 W. dist. 2  
an Elm 28 " " " N 58 E 17 " "



T. 27 N., R. 6 E., S. 2 Mer. Ind. a

Land rolling & good 2<sup>d</sup> rate. Timber Beech, Sugar, Oak, Ash, Hickory, Elm & Upr. Spice, young Sugar &c.

East on Random between Sec. 28 & 33

24.50 a Stream 10 M<sup>s</sup>. wide course N.

79.74 Intersect N. & S. line 23 M<sup>s</sup>. N. of post—

Land rolling & good. Timber Beech, Sugar, Oak, Ash, Hickory, Elm & Upr. Spice, Pawpaw, young Sugar &c.

West Connected between Sec. 28 & 33

14.39 an Ash 28 in. dia.

31.08 a Do 24 " "

39.87 set of sec. post at aver. dint. from which

a Sugar 24 in. dia. bears N 84° W 35 M<sup>s</sup>. dint. 8

a Beech 20 " " " S 35° E 44 " "

48.10 a W. Oak 24 " "

64.73 a Sugar 10 " "

79.74 to sec. cor.

North between Sec. 28 & 29

24.20 a Buckeye 14 in. dia.

25.00 a Stream 15 M<sup>s</sup>. wide course NNW

30.60 a Sugar 15 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears S 7° E 25 M<sup>s</sup>. dint. 8

a Do 15 " " " N 22° W 26 " "

54.81 a Beech 28 " "

70.34 a Sugar 18 " "

80.00 set post cor. of sec. 20, 21, 28 & 29 from which

a Sugar 18 in. dia. bears N 45° W 33 M<sup>s</sup>. dint. 8

a Beech 18 " " " S 8° W 25 " "

Land rolling good 2<sup>d</sup> rate. Timber Beech, Sugar, Oak, Ash, Hickory, Elm, Poplar & Upr. Spice &c.

East on Random between Sec. 21 & 28



T. 27 N., R. 6 E. 2. Mer. Ind. a

Ch. Sp.

68.50 a Stream 7 M. wide course N.

79.50 Intersect N. & S. line at foot —

Land rolling & rate. Timber Beech, Sugar, Oak,  
Hickory, Elm, Ash & Up. Spice &c.

West Connected between Sec. 21 & 28

13.81 a Beech 24 in. dia.

28.34 a Sugar 18 " "

39.75 set gr. sec. post at aver. dist. from which  
a W. Oak 24 in. dia. bears S 10 W 19 M. dist. 8  
a Beech 20 " " " N 72 E 19 " "

52.40 a Gum 8 " "

67.52 an Elm 42 " "

79.50 to sec. cor. August 1. 1839

North between Sec. 20 & 21

4.30 a Stream 6 M. wide course NW

16.97 a Beech 24 in. dia.

32.72 a W. Oak 24 " "

40.00 set gr. sec. post from which  
a Sugar 20 in. dia. bears N 10 E 28 M. dist. 8  
a Do 14 " " " S 6 E 19 " "

51.02 a Sugar 30 " "

67.07 Intersect S. Boundary of Grant N. 55, set post from  
which an Ash 6 in. dia. bears N 14 W 7 M. dist. 8

a Sugar 18 " " " S 38 W 26 " "

Measured West on line of said Grant N. 55,

19.29 Ch. to the East line of Grant N. 13

Land rolling & T. rate. Timber Beech, Sugar,  
Walnut, Oak, Ash, Elm, Hickory & Spice, Sawpaw &c.

North between Sec. 31 & 32

16.75 a Beech 18 in. dia.

31.65 a Sugar 14 " "

40.00 set gr. sec. post from which

a Beech 20 in. dia. bears S 62 W 26 M. dist. 8

Ch. Lk. T. 27 N., R. 6 E. 2. Mer. Ind. a.

a Hickory 8 in. dia. bears N 24 E 11 W. dist.  
 54.82 a Buckeye 9 " "  
 67.89 a Sugar 18 " "  
 80.00 set post cor. of sec. 29, 30, 31 & 32 from which  
 a Beech 18 in. dia. bears S 74 W 21 W. dist. 8  
 a Hackberry 20 " " " N 85 E 36 " "  
 Land rolling & good 2<sup>d</sup> rate. Timber Beech, Sugar,  
 Oak, Hickory, Ash, Elm, Hackberry, Buckeye &c  
 Upr. Spice &c August 2. 1839

East on Random between Sec. 29 & 32

14.50 a Stream 25 W. wide course NW  
 47.50 Mill Creek 40 " " " NW  
 79.86 Intersect N. & S. line 6 W. S. of post -  
 Land rolling 2<sup>d</sup> rate. Timber Beech, Sugar, Oak,  
 Elm, Hickory &c Upr. Spice, Ironwood &c

West Connected between Sec. 29 & 32

18.43 a Walnut 24 in. dia.  
 29.98 an Elm 20 " "  
 39.93 set of sec. post at aver. dist. from which  
 a Beech 24 in. dia. bears N 85 E 28 W. dist. 8  
 an Ash 12 " " " S 55 W 15 " "  
 50.41 a Beech 10 " "  
 72.05 a Sugar 14 " "  
 79.86 to sec. cor.

West on Random between Sec. 30 & 31

69.90 Intersect W. Boundary 22 W. N. of post -  
 Land rolling & good 2<sup>d</sup> rate. Timber Beech, Sugar,  
 Oak, Ash, Poplar, Elm, Hickory &c N. Upr.

East Connected between Sec. 30 & 31

12.29 a Walnut 36 in. dia.  
 25.62 a Do 10 " "  
 29.90 set of sec. post from which

T. 27 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>e</sup>  
 Ch. Sk?

a Sugar 20 in. diw. leans N 75° W 18 lbs. dint. 18  
 a Buckeye " " " S 72° E 20 " "  
 43.65 a Beech 18 " "  
 59.77 a Do 10 " "  
 69.90 to sec. cor.

North between Sec. 29 & 30

13.54 a Buckeye 8 in. diw.

21.33 Mill Creek 40 lbs. wide course NW

34.25 a B. Oak 8 in. diw.

40.00 set g. sec. post from which

a Beech 24 in. diw. leans S 46° W 5 lbs. dint. 8

and Junwood 10 " " " N 75° E 24 " "

51.42 a W. Oak 18 " "

66.38 a Beech 24 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Beech 18 in. diw. leans N 42° W 25 lbs. dint. 8

a Do 10 " " " S 62° E 19 " "

Land broken by hills & ravines of the Creek,

and poor Timber Beech, Oak, Hickory, Sugar  
 &c. Wyp. Junwood, Dogwood &c.

East on Random between Sec. 20 & 29

79.59 Intersect N. & line 12 lbs. E. of post -

Land rolling 2<sup>d</sup> rate. Timber Beech, Sugar, Oak,  
 Hickory, Ash, Elm &c. Spice, Ironwood &c.

West Corrected between Sec. 20 & 29

14.86 a Beech 28 in. diw.

31.58 a Sugar 24 " "

39.79 set g. sec. post at corner. dint. from which

a Beech 15 in. diw. leans S 76° E 29 lbs. dint. 8

a Do 14 " " " N 47° W 30 " "

53.26 a Beech 30 " "

68.27 an Ash 28 " "

79.59 to sec. cor.

T. 27 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>  
Ch. Lm.

West on true line between Sec. 19 & 30

10.87 an Elm 24 in. dia.

28.80 Mill Creek 40 yds. wide course NW, about  
2.00 Chs. below the old Miami Mills

40.00 set gr. sec. post from which

an Elmwood 14 in. dia. bears S 44° W 3 yds. dist. &

a B. Oak 30 " " " N 11° W 88 " "

42.55 Intersect S.E. Boundary of Grant N. 13, set  
post from which

a W. Oak 18 in. dia. bears S 52° E 16 yds. dist. &

a Do 15 " " " N 18° W 139 " "

Measured thence along the S.E. Boundary of Grant  
N. 13, S. 54.20' W. 31.08 Chs. to the SW. corner on  
Range line.

Land broken & poor. Timber Oak, Hickory, Elm  
Juniper &c.

North between Sec. 19 & 20

12.52 a Hickory 20 in. dia.

25.24 Intersect S.E. Boundary of Grant N. 13 where  
a Hackberry 18 in. dia. stands corner tree from wh.

a Buckeye 10 " " " bears N 51° W 12 yds. dist. &

a Beech 14 " " " S 20° W 34 " "

Measured along the S.E. Boundary of Grant  
N. 13, N. 54.20' E. 69.85 Chs. to the S.E. corner  
of said Grant. August 2. 1839

(Description of land &c. omitted)

I hereby certify that in pursuance of a con-  
tract with E. J. Haines, Surveyor General of  
the United States for the States of Ohio, Indiana  
and Michigan, bearing date the 20<sup>th</sup> day  
of April 1839, and in strict conformity of the  
Laws of the United States and the Instruct-  
ions of the Surveyor General, I have surveyed  
and subdivided into sections Township N. 27

T. 27 N., R. 6 E. 2<sup>d</sup> Mer. Ind.<sup>a</sup>

North, of Range N<sup>o</sup> 6 East in the State of Indiana, and that the foregoing are the true and original Field notes thereof.

Certified this 4<sup>th</sup> day of August 1839

Chauncy Carter, Dep. Sur.

J. M. P. Hand } Chain carrier  
Eli M. Miller }  
Wm. T. Shaver, Marker.

I certify that the foregoing transcript of Field Notes of the survey of Township N. 27 North, of Range N. 6 East of the 2<sup>d</sup> Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office,  
Cincinnati, Feb. 19. 1845

William Johnston  
Sur. Genl.